


SCALE: 1/2" = 1 FOOT

SAILS					
Sail	Luff	Leach	Foot	Area Sq. Ft.	Material
Mainsail	13'-0"	17'-6"	10'-3"	133 ϕ	Terylene 8 ozs sq. yd.
Topsail	11'-6"	8'-6"	8'-8"	33 ϕ	Terylene 9 " " "
N°1	25'-5"	22'-3"	15'-2"	167 ϕ	Terylene 9 " " "
N°2	15'-0"	10'-0"	7'-2"	31 ϕ	Terylene 9 " " "
N°3	16'-6"	13'-3"	9'-5"	60 ϕ	Flax - N°7
Mizzen	17'-8"	19'-6"	10'-0"	89 ϕ	Terylene 8 ozs. sq. yd.

STANDING RIGGING			
Topmast Forestay	ϕ 1/4" dia.	Inner Forestay	ϕ 5/16" dia.
Main Shrouds	ϕ 5/16" dia.	Triatic Stay	ϕ 1/4" dia.
Topmast Shrouds	ϕ 5/16" dia.	Mizzen Shrouds	ϕ 5/16" dia.
Bobstay	ϕ 3/8" dia. rod or 3/8" tested open link chain	Mizzen Jumper	ϕ 5/16" dia. or 5/16" dia. tested open link chain
Bowsprit Guys	ϕ 5/16" dia.		
ϕ Galvanised Plough Steel Wire Rope.			

RUNNING RIGGING	
Main & Mizzen Halyards	† 1/4" circ. prestretched Terylene
Topsail Halyard	† " " " "
Jib Halyard	† " " " "
Club Foresail Halyard	† " " " "
N°1 Jib Sheet	1/2" circ. plaited Terylene
N°2 Jib Sheet	" " " "
N°3 Jib Sheet	1/4" circ. plaited Terylene
Topsail Sheet	† " " " "
Main Sheet	" " " "
Mizzen Sheet	† " " " "
Topsail Downhaul	† 1/4" circ. prestretched Terylene
Topsail Leader	† 1/4" circ. prestretched Terylene + handgills of 1/2" circ. plaited
1/2" circ. Manilla may be used as an alternative for all ropes marked †.	

Length O.A. 27'-6 1/8"
 Length (Datum Waterline) 21'-10"
 Beam Deck at side to outside of planking 8'-1 3/4"
 Draft 4'-2 7/8"
 Δ 7050 lbs.



W. Stephens
 28. 11. 55